



UNITS:	CCM CHLORINE	DATE:	6/2/99
TUBE NUMBER:	601 (E201)	STD CONDITIONS:	1 ATMOS. & 70 DEG F
SERIAL NUMBER:	TYPICAL (FACTOR)	GAS TEMPERATURE:	70 DEG F
FLOAT MATERIAL:	GLASS	PRESSURE IN TUBE:	20 PSIG
CERT FILE #:	CL2@20PSIG-G		

SCALE READING	FLOW RATE	SCALE READING	FLOW RATE	SCALE READING	FLOW RATE	SCALE READING	FLOW RATE
150.0	152.10	104.0	95.67	58.0	46.66	31.0	22.90
149.0	150.82	103.0	94.51	57.0	45.71	30.0	22.10
148.0	149.54	102.0	93.36	56.0	44.76	29.0	21.31
147.0	148.26	101.0	92.20	55.0	43.82	28.0	20.53
146.0	146.98	100.0	91.05	54.0	42.88	27.0	19.75
145.0	145.71	99.0	89.91	53.0	41.95	26.0	18.98
144.0	144.44	98.0	88.77	52.0	41.02	25.0	18.22
143.0	143.17	97.0	87.63	51.0	40.10	24.0	17.47
142.0	141.90	96.0	86.50	50.0	39.18	23.0	16.72
141.0	140.64	95.0	85.37	49.0	38.27	22.0	15.98
140.0	139.38	94.0	84.24	48.0	37.37	21.0	15.24
139.0	138.12	93.0	83.12	47.0	36.47	20.0	14.52
138.0	136.87	92.0	82.00	46.0	35.58	19.0	13.80
137.0	135.61	91.0	80.89	45.0	34.69	18.0	13.09
136.0	134.36	90.0	79.78	44.0	33.81	17.0	12.38
135.0	133.11	89.0	78.67	43.0	32.94	16.0	11.69
134.0	131.86	88.0	77.57	42.0	32.07	15.0	11.00
133.0	130.62	87.0	76.47	41.0	31.20	14.0	10.32
132.0	129.38	86.0	75.38	40.0	30.34	13.0	9.65
131.0	128.14	85.0	74.29	39.0	29.49	12.0	8.99
130.0	126.90	84.0	73.20	38.0	28.65	11.0	8.33
129.0	125.67	83.0	72.12	37.0	27.81	10.0	7.69
128.0	124.43	82.0	71.05	36.0	26.97	9.0	7.05
127.0	123.20	81.0	69.98	35.0	26.14	8.0	6.42
126.0	121.97	80.0	68.91	34.0	25.32	7.0	5.81
125.0	120.75	79.0	67.85	33.0	24.51	6.0	5.20
124.0	119.53	78.0	66.79	32.0	23.70	5.0	4.60
123.0	118.31	77.0	65.74				
122.0	117.09	76.0	64.69				
121.0	115.88	75.0	63.65				
120.0	114.66	74.0	62.61				
119.0	113.45	73.0	61.57				
118.0	112.25	72.0	60.54				
117.0	111.04	71.0	59.52				
116.0	109.84	70.0	58.50				
115.0	108.64	69.0	57.49				
114.0	107.45	68.0	56.48				
113.0	106.26	67.0	55.47				
112.0	105.07	66.0	54.47				
111.0	103.88	65.0	53.48				
110.0	102.70	64.0	52.49				
109.0	101.52	63.0	51.50				
108.0	100.34	62.0	50.52				
107.0	99.17	61.0	49.55				
106.0	98.00	60.0	48.58				
105.0	96.83	59.0	47.62				

